
No.



201100316

THE UNITED STRATES OF ANTERICA

TO ALL TO WHOM THESE; PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

Whereas, there has been presented to the

Secretary of Agriculture

An application requesting a certificate of protection for an alleged distinct variety of sexually reproduced, or tuber propagated plant, the name and description of which are contained in the application and exhibits, a copy of which is hereunto annexed and made a part hereof, and the various requirements of LAW in such cases made and provided have been complied with, and the title thereto is, from the records of the PLANT VARIETY PROTECTION OFFICE, in the applicant(s) indicated in the said copy, and Whereas, upon due examination made, the said applicant(s) is (are) adjudged to be entitled to a certificate of plant variety protection under the LAW.

Now, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of TWENTY years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or conditioning it for propagation, or stocking it for any of the above purposes, or using it in producing a hybrid or different variety therefrom, to the extent provided by the PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'PH182Y'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this nineteenth day of December, in the year two thousand and thirteen.

Attest:

06

Commissioner Plant Variety Protection Office Agricultural Marketing Service

Secretary of Agriculture

2011 MAR 23 PM 47.85

#2 0 1 1 0 0 3 1 6

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filing fee and \$3,884 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice). NEW: With the application for a seed reproduced variety or by direct deposit soon after filing, the applicant must provide at least 3,000 viable untreated seeds of the variety per se, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to reproduce the variety. Partial applications will be held in the PVPO for not more than 90 days; then returned to the applicant as un-filed. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for issuance of the certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; cwner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

Plant Variety Protection Office

Telephone: (301) 504-5518

FAX: (301) 504-5291

General E-mail: PVPOmail@usda.gov

Homepage: http://www.ams.usda.gov/science/pvpo/PVPindex.htm

SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: U.S. Department of Agriculture, Agricultural Marketing Service, Livestock and Seed Programs, Seed Regulatory and Testing Branch, 801 Summit Crossing Place, Suite C, Gastonia, North Carolina 28054-2193 Telephone: (704) 810-8870. http://www.ams.usda.gov/lsg/seed.htm.

ITEM

19a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of transferred, or used in the U.S. or other countries.)
- 24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

USPTO, March 9, 2011, application No. 13/043,574

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Exhibit A: Origin and Breeding History for PH182Y

Pioneer line PH182Y, Zea mays L., a yellow corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PHE3D (PVP Certificate No. 200700308) X PHCER (PVP Certificate No. 200500257) using the pedigree selection method of plant breeding. Varieties PHE3D and PHCER are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing was practiced from above hybrid for 9 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at York, NE, USA as well as other Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

Variety PH182Y has shown uniformity and stability for all traits as described in Exhibit C – "Objective Description of Variety." It has been self-pollinated and ear rowed for 7 generations with careful attention paid to selection criteria and uniformity of plant type to assure the variety is genetically homozygous and phenotypically stable. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability, and for 5 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and using sound laboratory methodologies.

No variant traits have been observed or are expected in PH182Y.

The criteria used in the selection of PH182Y were yield, both per se and in hybrid combinations. Late season plant health, grain quality, and stalk lodging resistance, were important criteria considered during selection. Other selection criteria include: ability to germinate in adverse conditions, disease and insect resistance, pollen production and tassel size.

Exhibit A: Developmental History for PH182Y

Pedigree	Year Planted	Generation
PHE3D/PHCER	2003	F1
PHE3D/PHCER)X	2004	F2
PHE3D/PHCER)X2	2005	F3
PHE3D/PHCER)X22	2005	F4
PHE3D/PHCER)X222	2006	F5
PHE3D/PHCER)X2222	2006	F6
PHE3D/PHCER)X22221	2007	F7
PHE3D/PHCER)X222213	2007	F8
PHE3D/PHCER)X2222132	2008	F9
PHE3D/PHCER)X2222132X		F10 (Seed)

PH182Y was selfed and ear-rowed from F3 through F9 generation. Uniformity and stability were established from F6 through F10 generation and beyond when seed supplies were increased.

Exhibit B: Novelty Statement

Variety PH182Y mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PHE67 (PVP Certificate No. 200600229). Table 1 shows two sample t-tests on data collected primarily in Johnston and Dallas Center, Iowa in 2009. The traits collectively show measurable differences between the two varieties.

Variety PH182Y has a longer ear length (17.7 cm vs. 16.3 cm) than variety PHE67 (Table 1).

Variety PH182Y has a shorter kernel length (11.0 vs. 11.6) than variety PHE67 (Table 1).

Variety PH182Y has a shorter plant height (215.7 vs. 236.5) than variety PHE67 (Table 1).

Variety PH182Y has a shorter tassel central spike (26.2 vs. 32.6) than variety PHE67 (Table 1).

In addition to the differences cited above, the database records indicate 'PH182Y' differs from 'PHE67' in silk color (red - 10R 2/6 vs. light green - 2.5GY 8/6 Munsell, respectively). Also, 'PH182Y' differs from 'PHE67' in glume color (pink orange - 2.5YR 4/8 vs. dark green - 7.5GY 4/6, Munsell respectively).

MARK HERMELING Digitally signed by MARK HERMELING DN: c=US, o=U.S. Government, ou=Department of Agriculture, cn=MARK HERMELING, 0.9.2342.19200300.100.1.1=12001000112718 Date: 2013.09.17 14:40:10-05'00'

Mark A. Hermeling 9-17-2013

Exhibit B: Novelty Statement Table

evidence for differences between PH182Y and PHE67. Varieties were grown in two locations that had different environmental conditions. Environments had Table 1: Data from Johnston and Dallas Center, Iowa in 2009 presented by trait, across environments, and broken out by environment. Data are supporting different planting dates and were in different fields. A two-sample t-test was used to compare differences between means.

Table 1

YEAR	Location	VARIETY-1	VARIETY-2	Count-1	Count-2	Mean-1	Mean-2	Mean_Diff	StdDev-1	StdDev-2	StdErr-1	StdErr-2	님	t-Value	Prob
2009	Summary	PH182Y	PHE67	36	27	17.7	16.3	1.4						The second secon	
2009	20	PH182Y	PHE67	18	6	16.6	15.2	1.4	0.979	0.667	0.231	0.222	25	3.820	0.001
2009	독	PH182Y	PHE67	18	18	18.8	16.8	2.0	1.383	1.150	0.326	0.271	34	4.717	0.000
Kernel Length (mm)	gth (mm)														
YEAR	Location	VARIETY-1	VARIETY-2	Count-1	Count-2	Mean-1	Mean-2	Mean_Diff	StdDev-1	StdDev-2	StdErr-1	StdErr-2	님	t-Value	Prob
2009	Summary	PH182Y	PHE67	36	27	11.0	11.6	-0.6							
2009	8	PH182Y	PHE67	13	Ø	10.4	11.0	9.0-	0.502	0.000	0.118	0.000	25	-3.619	0.001
2009	독	PH182Y	PHE67	18	18	11.6	11.9	-0.3	0.511	0.416	0.121	0.098	34	-2.503	0.017
Plant Height (cm)	it (cm)														
YEAR	Location	VARIETY-1	VARIETY-2	Count-1	Count-2	Mean-1	Mean-2	Mean_Diff	StdDev-1	StdDev-2	StdErr-1	StdErr-2	님	t-Value	Prob
2009	Summary	PH182Y	PHE67	36	27	215.7	236.5	-20.8				an effective to the control of the c			
2009	8	PH182Y	PHE67	18	6	201.2	217.1	-15.9	10.486	7.424	2.471	2.475	25	-4.049	0.000
2009	폭	PH182Y	PHE67	13	18	230.2	246.2	-16.0	11.258	8.556	2.653	2.017	34	-4.801	0.000
ssel Cent	Tassel Central Spike Length (cm)	th (cm)													
YEAR	Location	VARIETY-1	VARIETY-2	Count-1	Count-2	Mean-1	Mean-2	Mean_Diff	StdDev-1	StdDev-2	StdErr-1	StdErr-2	딤	t-Value	Prob
2009	Summary	PH182Y	PHE67	36	27	26.2	32.6	-6.4							
2009	8	PH182Y	PHE67	18	6	24.4	27.4	-3.0	2.549	3.206	0.601	1.069	25	-2.647	0.014
2009	Ξ.	PH182Y	PHF67	22	200	27.0	35.1	7.2	3000	1774	0 760	1051	·	1	000

EXHIBIT C (Corn; Maize) (2009)

United States Department of Agriculture, Agricultural Marketing Service Science and Technology, Plant Variety Protection Office National Agricultural Library Building, Room 400 Beltsville, MD 20705-2351

OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Name of Applica	nt(s) I International, Inc.	l Variety Seed	Source			Variety Name or Te PH182Y	mpora	ary Des	signat	ion	
			K IKHY _C IKSHI		i.		productive.			ju/en.	
	& No., or R.F.D. No., City, State, Avenue, P.O. Box 1004, Johnsto	[편집 : 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	1	FOR OFFICIAL	_ US		F 2	O Nun	ber 1	0 () 3
	riate number that describes the										
	necessary. Completeness shoul variety description and must be o		h an adeq	uate variety desc	riptio	on. Traits designate	d by a	"*" are	cons	idered	i nec
COLOR CHOICE	S (Use in conjunction with Muns	sell color code to describe	all color c	hoices; describe #	#25	and #26 in Comme	nts sec	ction):			
01. Light Green	06. Pale Yellow	11. Pink	16. Pa	le Purple	2	I. Buff	26. Ot	her (D	escrit	e)	
02. Medium Gre	een 07. Yellow	12. Light Red	17. Pu	rple	22	2. Tan					
03. Dark Green	08. Yellow-Orange	13. Cherry Red	18. Co	lorless	23	B. Brown					
04. Very Dark G	Land 1 and 1 and 2 a	14. Red	19. WI	nite	24	. Bronze					
05. Green-Yello		15. Red & White	20. W	nite Capped	25	5. Variegated (Desc	ribe)				
STANDARD INB	RED CHOICES [Use the most si	milar (in background and r	maturity) o	of these to make o	nake comparisons based on grow-out trial data]:						
Yellow Dent Far	milies:	Yellow Dent (Unrelated) :		Sweet Corn:						
Family	Members	Co109, ND246		8 6 6	C13, Iowa5125, P39, 2132						
B14	CM105, A632, B64, B68	Oh7, T232									
B37	B37, B76, H84	W117, W153R			Po	ppcorn:					
B73	N192, A679, B73, Nc268	W182BN				SG1533, 47	22, HF	2301, F	IP721	1	
C103	Mo17, Va102, Va35, A682										
Oh43	A619, MS71, H99, Va26	White Dent:			Pi	pecorn:					
WF9	W64A, A554, A654, Pa91	Cl66, H105, Ky	228			Mo15W, Mo16	W, Mo	24W			
	ibe intermediate types in "Comm				1	Standard Inbred N	ame	٧	/A26		
	weet, 2=Dent, 3=Flint, 4=Flour, 5 her (specify) <u>Dent-Flint</u>	=Pop, 6=Ornamental, 7=F	Pipecorn		1	2 Type					
2. REGION WH	ERE DEVELOPED IN THE U.S.	A.:			1	Standard Seed Sc	urce	-	MES	19329	9
<u>2</u> 1=N.	West, 2=N.Central, 3=N.East, 4	=S.East, 5=S.Central, 6=S	6.West, 7=	Other	1	_ Region					
	n Region Best Adaptability; show	v Heat Unit formula in "Co	mments" s	section):	1	5.11/6			LUTO		
	YS HEAT UNITS				1	DAYS	Н	EAT U			
		ce to 50% of plants in silk	12		1	<u>63</u>			292.5		
		ce to 50% of plants in polle	en		4	<u>65</u> 3		1,	327.0		
	3 69 From 10% to 90				1	2			<u>69</u>		
		o optimum edible quality			1				- ' -		
<u> </u>	From 50% silk t	o harvest at 25% moisture					Laster 2		- : -		
4. PLANT:		5	St.Dev.	Sample Size		Mean		Dev.	Sam	ple Siz	
230.2 cm l	Plant Height (to tassel tip)		11.26	<u>18</u>		238.6		1.55			18
89.1 cm	Ear Height (to base of top ear no	ode)	7.88	<u>18</u>		80.2		8.58			18
	Length of Top Ear Internode		4.33	<u>18</u>		<u>17.2</u>	- 7	2.38			18
<u>0.0</u> Ave	rage Number of Tillers		0.00	<u>2</u> *		0.0		0.03			2*
Annual Property of the State of	rage Number of Ears per Stalk		0.06	<u>2</u> *	1	1.0	9	0.05			2*
1 Anti	hocyanin of Brace Roots: 1=Abs	ent, 2=Faint, 3=Moderate,	4=Dark	A	1	2					
Application Vari	ety Data		Page 1		1	Standard Inbred D	ata		-	2	_

Application Variety Data

Page 2	1	Standard Inbred	Data	
St.Dev.	Sample Size I	Mean	St.Dev.	Sample Size
0.86	<u>18</u> I	9.2	1.20	18
3.32	<u>18</u> I	81.8	5.75	18
0.57	<u>18</u> I	6.6	0.78	18
4.99	18 1	23.9	4.39	18
stalk above leaf)				
	1	4 (Munsell	Code) 5GY	34
=none to 9=like peach fu	zz) I			
	1			
	1			
St Dev	Sample Size I	Mean	St.Dev.	Sample Size
				18
7	The year of the second		,	18
		48,00		18
2.51	19 1	57.5	0.20	15
to Ombooun shod)	- 1	۵		
to a-neavy sned)	1		Code) 10V	88
	1.			
			50de) 501	<u>50</u>
ent		<u>.</u>		<u> </u>
	1			
ode) <u>10R</u>	126			1.0
Munsell Code) 2.50	3Y66	2 Munsell	Code <u>5GY</u>	56
insel Code) 10Y	R84	19 Munsell	Code <u>2.5Y</u>	8.52
2=Horizontal, 3=Pendent	1	2		
se to 9=very tight	1	<u>6</u>		
osed), 2=Medium (<8cm)	, 3=Long I	2		
	1			
St. Dev.	Sample Size I	Mean	St.Dev.	Sample Size
1.38	<u>18</u> I	13.8	1.17	18
	18 1	44.3	2.30	18
		120.8		18
		Section 1	# 2 CL V 4 SEC. 17	18
	7		200000	1
3=Spiral	i i			
	18 1		2.24	18
1 10 10 10 10 10 10 10 10 10 10 10 10 10		1		-
	0 1 0 1		Ct Day	Sample Size
				Sample Siz
N. 182.102.			100000000000000000000000000000000000000	18
			1000	18
0.000				2*
A STATE OF THE PARTY OF THE PAR	۷ ا	V 1000000000000000000000000000000000000		-
				.5Y814
C-100 C-100 C-100	;			.5Y814
	. AmUliah I			.51014
et(sn2), 3=Normal Starch n, 7=High Lysine, 8=Supe		<u>5</u> (describ		H K * DK
	0** 1	28.5	2.12	<u>2</u> *
0.71	2		_	7
0.71	2** 1			
St.Dev.	Sample Size I	Mean 25.5	St.Dev 0.92	
St.Dev. <u>0.88</u>	Sample Size I	25.5	0.92	1
St.Dev.	Sample Size I		0.92	Sample Siz 1 Y92
	St.Dev. 0.86 3.32 0.57 4.99 stalk above leaf) =none to 9=like peach fu 9=many) ne to 9=many) St.Dev. 1.50 7.75 2.97 to 9=heavy shed) ent St.Dev. 1.38 1.25 14.65 1.17 3=Spiral 1.83 n., 3=Extreme conical St.Dev. 0.51 0.64 0.59 10.62 gregating (describe) 1.25Y816 10YR714 et(sh2), 3=Normal Starch	St.Dev. Sample Size	St.Dev. Sample Size Mean	St.Dev. Sample Size Mean St.Dev.

Note: Use chart on first page to choose color codes for color traits

10. DISEASE RESISTANCE (Rate from 1(most susceptible) to 9	(most resistant); leave blank if not	1		
tested; leave Race or Strain Options blank if polygenic):		1		
A. Leaf Blights, Wilts, and Local Infection Diseases		- 1		
_ Anthracnose Leaf Blight (Colletotrichum graminicola)		1	 Anthracnose Leaf Blight 	
Common Rust (Puccinia sorghi)		1	Common Rust	
Common Smut (Ustilago maydis)		1	_ Common Smut	
Eyespot (Kabatiella zeae)		1	Eyespot	
8 Goss's Wilt (Clavibacter michiganense spp. nebraskens	sis)	1	4 Goss's Wilt	
5 Gray Leaf Spot (Cercospora zeae-maydis)		1	4 Gray Leaf Spot	
_ Helminthosporium Leaf Spot (Bipolaris zeicola)	Race	1	 Helminthosporium Leaf Spot 	Race_
6 Northern Leaf Blight (Exserohilum turcicum)	Race	1	4 Northern Leaf Blight	Race_
Southern Leaf Blight (Bipolaris maydis) Race		1	Southern Leaf Blight	Race_
Southern Rust (Puccinia Polysora)		1.	Southern Rust	
Stewart's Wilt (Erwinia stewartii)			Stewart's Wilt	
Other (Specify)		1	Other (Specify)	
Systemic Diseases		1		
Corn Lethal Necrosis (MCMV and MDMV)		1	Corn Lethal Necrosis	
8 Head Smut (Sphacelotheca reiliana)		1	5 Head Smut	
Maize Chlorotic Dwarf Virus (MCDV)		1	_ Maize Chlorotic Dwarf Virus	
Maize Chlorotic Mottle Virus (MCMV)		1	_ Maize Chlorotic Mottle Virus	
Maize Dwarf Mosaic Virus (MDMV) Strain	n	1	Maize Dwarf Mosaic Virus	Strain_
Sorghum Downy Mildew of Corn (Peronosclerospora so	orghi)	1	_ Sorghum Downy Mildew of Cor	'n
Other (Specify)		1	Other (Specify)	
C. Stalk Rots		1		
Anthracnose Stalk Rot (Colletotrichum graminicola)		1	Anthracnose Stalk Rot	
_ Diplodia Stalk Rot (Stenocarpella maydis)		1	_ Diplodia Stalk Rot	
Fusarium Stalk Rot (Fusarium moniliforme)		1	_ Fusarium Stalk Rot	
Gibberella Stalk Rot (Gibberella zeae)		1	_ Gibberella Stalk Rot	
Other (Specify)		1	Other (Specify)	1
D. Ear and Kernel Rots		1		
Aspergillus Ear and Kernel Rot (Aspergillus flavus)		1	_ Aspergillus Ear & Kernel Rot	
5 Diplodia Ear Rot (Stenocarpella maydis)		1	6 Diplodia Ear Rot	
5 Fusarium Ear and Kernel Rot (Fusarium moniliforme)		1 -	5 Fusarium Ear & Kernel Rot	
Gibberella Ear Rot (Gibberella zeae)		1	Gibberella Ear Rot	
Other (Specify)		1	Other (Specify)	

Note: Use chart on first page to choose color codes for color traits.

pplication Variety Data	Pag	je 4	1	Standard Inbred Data
11. INSECT RESISTANCE (Rate from 1(most susceptible) to 9 (m	ost resistant)	; Leave blank	1	
if not tested	St. Dev.	Sample Size	1	St. Dev. Sample Size
Banks Grass Mite (Oligonychus pratensis)			1	_ Banks Grass Mite
Corn Earworm (Helicoverpa zea)			1	Corn Earworm
_ Leaf Feeding			1	_ Leaf Feeding
Silk Feedingmg larval wt.			1	
_ Ear Damage			-1	_ Ear Damage
Corn Leaf Aphid (Rhopalosiphum maidis)			1	_ Corn Leaf Aphid
Corn Sap Beetle (Carpophilus dimidiatus)			1	_ Corn Sap Beetle
European Corn Borer (Ostrinia nubilalis)			1	European Corn Borer
1 st Generation (Typically Whorl Leaf Feeding)			1	1 st Generation
2 nd Generation (Typically Leaf Sheath-Collar Feeding)			- 1	_ 2 nd Generation
Stalk Tunneling: cm tunneled/plant	1	- Vo. 100	1	
Fall Armyworm (Spodoptera frugiperda)			1	Fall Armyworm
_ Leaf-Feeding			1	_ Leaf-Feeding
Silk-Feedingmg larval wt.	1.2.2		1	
Maize Weevil (Sitophilus zeamais)	1		1	_ Maize Weevil
Northern Rootworm (Diabrotica barberi)			-1	_ Northern Rootworm
Southern Rootworm (Diabrotica undecimpunctata)			1	_ Southern Rootworm
Southwestern Corn Borer (Diatraea grandiosella)			- 1	Southwestern Corn Borer
Leaf Feeding			1	_ Leaf Feeding
Stalk Tunneling: cm tunneled/plant			1	
Two-spotted Spider Mite (Tetranychus urticae)			1	Two-spotted Spider Mite
Western Rootworm (Diabrotica virgifera virgifera)			1	Western Rootworm
Other (Specify)		_	1	Other (Specify)
2. AGRONOMIC TRAITS:			1	
4 Stay Green (at 65 days after anthesis) (Rate on scale fro	m 1=worst to	9=excellent)	1	2 Stay Green
% Dropped Ears (at 65 days after anthesis)			- 1	% Dropped ears
% Pre-anthesis Brittle Snapping			1	_ % Pre-anthesis Brittle Snapping
36 % Pre-anthesis Root Lodging			- 1	34 % Pre-anthesis Root Lodging
% Post-anthesis Root Lodging (at 65 days after anthesis)			-1	Post-anthesis Root Lodging
6,980.0 Kg/ha Yield of Inbred Per Se (at 12-13% grain mo	oisture)		1	3,906.0 Yield
3. MOLECULAR MARKERS: (0=data unavailable; 1=data availa	ble but not su	ipplied: 2=data su	oplied.)	
_ Isozymes _ RFLP's	_ RAPD'	S	1	Other (Specify) SNPs
REFERENCES:				
Butler, D.R. 1954. A System for the Classification of Corn Inbred Lemerson, R.A., G.W. Beadle, and A.C. Fraser, 1935. A summary Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Funginglett, G.E. (Ed) 1970. Corn: Culture, Processing, Products. Avi Fungenheimer, R.W. 1976. Corn: Improvement, Seed Production, McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. 15 Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. New The Mutants of Maize. 1968. Crop Science Society of America. M Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press, Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn In Stringfield, G.H. Maize Inbred Lines of Ohio A.E.S., Bul. 831. 1958. U.S. Department of Agriculture 1936, 1937. Yearbook.	of Linkage Si on Plant Prod Publishing Co and Uses. Joi io pp. ewburgh, N.Y adison, Wi. , St. Paul, MN mprovement,	ducts in Malze. Co ducts in the United impany, Westpoin hn Wiley & Sons, I 12551-0230	States. t, CT. New Yor	rk.
COMMENTS (e. g. state how heat units were calculated, standard	d inbred seed	I source, and/or wi	nere dat	a was collected. Continue in Exhibit D).
*Sample number reflects the number of plots where the trait(s) was Please see 'CLARIFICATION OF DATA IN EXHIBITS B AND C' for the contract of	as observed a or details of h	and not the numbe now plots were set	r of indi up.	vidual plants scored.

** For these plot-level traits, kernels from approximately 5 representative ears were sampled. 100 unsized kernels were counted and weighed.

Insect, disease, brittle snapping, yield and root lodging data are collected mainly from environment where variability for the trait can be obtained

Up to 500 grams of kernels were sized by a 13/64 inch slot screen.

within the experiment.

CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit B and C, "Objective Description of Variety," are collected primarily at Johnston and/or Dallas Center, Iowa. The data in Table 1 are from two sample t-tests using data collected in Johnston and Dallas Center, IA. These traits in Exhibit B collectively show distinct differences between the two varieties.

For the given year of data collection, our experimental design was set up in a typical complete block design commonly used in agricultural corn research experiments with two replications grown at each location. The experimental procedures generally involve two locations/environments with different planting dates, planted in 13 or 17.42 ft. rows with 2 row plots (group) for each variety. Approximately 20-30 plants emerged in each of the 2 rows for a total of around 80 to 120 plants being evaluated at each location and 160 to 240 plants across locations. For plant level traits, we sampled up to 18 representative plants from each location. For plot level traits we evaluated the 2 row plot (group) and gave a representative score or average on the 80-120 plants in the group within an experiment.

	GROWING DEGRE	E UNITS (GDUs)	PRECIPITATI	ON (Inches)
	200	09	200	9
Month	Dallas Center	Johnston	Dallas Center	Johnston
May	381	426	3.67	3.85
June	588	640	4.38	6.51
July	560	655	2.84	2.40
August	576	656	4.96	4.85
September	418	493	1.00	1.48
TOTAL	2523	2870	16.85	19.09

Growing Degree Units use following formula: GDU = ((T1+T2)/2)-50

Where T1 = minimum temperature for a given day with 50 degrees Fahrenheit as the minimum temperature used and 86 degrees Fahrenheit is the maximum temperature used.

Where T2 = maximum temperature for a given day with 86 degrees Fahrenheit as the maximum temperature used and 50 degrees Fahrenheit is the minimum temperature used.

GDUs are calculated each day and accumulated (summed) over certain number of days.

U.S. DEPARTMENT OF AGRICULTURE		ORM APPROVED - OMB No. 0581-005
AGRICULTURAL MARKETING SERVICE	Application is required in order to detect certificate is to be issued (7 U.S.C. 24	
EXHIBIT E	confidential until the certificate is issue	
STATEMENT OF THE BASIS OF OWNERSHIP 1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME
	OR EXPERIMENTAL NUMBER	
Pioneer Hi-Bred International, Inc.		PH182Y
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (Include area code)
7300 NW 62 nd Avenue	(515) 535-4051	(515) 535-2288
P.O. Box 1004	7. PVPO NUMBER	
Johnston, IA 50131-1004	#2011(0 0 3 1 6
8. Does the applicant own all rights to the variety? Mark an "X" in the		
, 2000 the approach only all tights to the tallog, that it all the	o appropriate states in the product of product	
Is the applicant a U.S. national or a U.S. based entity? If no, give	name of country. XES	∐ NO
10. Is the applicant the original owner?	O If no, please answer one of the foll	owina:
a. If the original rights to variety were owned by individual(s), is (are) the original owner(s) a U.S. National	(s)?
YES NO	O If no, give name of country	
r massacha in haide and a large a communica	is (see) the existent amount of a LLC house	d annual of
b. If the original rights to variety were owned by a company(ies),		d company?
⊠ YES □ N	O If no, give name of country	
dd Addillanda a landin a mae'r 17-an annachir fan airii	and broader to surrent owner. Her the re-	verse for extre energy if needed):
11. Additional explanation on ownership (Trace ownership from original contents)	nai preeder to current owner. Ose the re-	verse for extra space if fleeded).
Pioneer Hi-Bred International, Inc. (PHI), Des Moines, Iowa, and Des Moines, Iowa, is the employer of the plant breeders involve and/or Pioneer Overseas Corporation has the sole rights and overriety to PHI and/or POC at the time such variety was created.	d in the selection and development of PH vnership of PH182Y pursuant to written c	182Y. Pioneer Hi-Bred International ontracts that assign all rights in the
validity to 1111 allion 1 00 at the time cash railer, that eventues		
PLEASE NOTE:		
Plant variety protection can only be afforded to the owners (not licens	sees) who meet the following criteria:	
 If the rights to the variety are owned by the original breeder, that p national of a country which affords similar protection to nationals of 	erson must be a U.S. national, national o of the U.S. for the same genus and specie	f a UPOV member country, or is.
If the rights to the variety are owned by the company which employ nationals of a UPOV member country, or owned by nationals of a genus and species.	yed the original breeder(s), the company country which affords similar protection to	must be U.S. based, owned by nationals of the U.S. for the same
3. If the applicant is an owner who is not the original owner, both the	original owner and the applicant must me	eet one of the above criteria.
The original breeder/owner may be the individual or company who di act for definitions.	irected the final breeding. See Section 4	1(a)(2) of the Plant Variety Protection
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponso- control number. The valid OMB control number for this information collection is 0581-005t including the time for reviewing the instructions, searching existing data sources, gathering	The time required to complete this information collect	ction is estimated to average 0.1 nour per response
The U.S. Decement of Agriculture (USDA) prohibits discimination in all its programs and	activities on the basis of race, color, national origin, ac	ne, disability, and where applicable, sex, marital
The U.S. Department of Agriculture (SUP) profits a status, familied status, parental status, religion, sexual orientation, genetic information, politic program (Not all prohibited bases apply to all programs.) Persons with disabilities who requishould contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).	tical heliefs, reprisal, or because all or part of an individ	fual's income is derived from any public assistance

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

ST470-E (07-09) designed by the Plant Variety Protection Office

REPRODUCE LOCALLY. Include form number and date on all reproductions.

Form Approved OMB NO 0581-0055

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, patental status, religion, sexual orientation, genetic information, political beliefs, reprisel, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

EXHIBIT F
DECLARATION REGARDING DEPOSIT

NAME OF OWNER (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	TEMPORARY OR EXPERIMENTAL DESIGNATION
Pioneer Hi-Bred International, Inc.	7300 NW 62 nd Avenue Johnston, IA 50131-1004	VARIETY NAME PH182Y
NAME OF OWNER REPRESENTATIVE (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	FOR OFFICIAL USE ONLY
Steven R. Anderson	7300 NW 62 nd Avenue Johnston, IA 50131-1004	#201100316

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.

Signature Millian

3-21-2011

Date